Contents of Volume 77

PAGE

ACKERSON, L. M. (See JONES, R. H.)

AITCHISON, J. On coherence in parametric density estimation 905

ALHO, J. Adjusting for nonresponse bias using logistic regression 617

AMEMIYA, Y., ANDERSON, T. W. and LEWIS, P. A. W. Percentage points for a test of rank in multivariate components of variance 637

ANDERSON, T. W. (See AMEMIYA, Y.)

AUESTAD, B. and TJØSTHEIM, D. Identification of nonlinear time series: First-order characterization and order determination 669

BATES, D. M. (See KANG, G.)

BEDRICK, E. J. and HILL, J. R. Outlier tests for logistic regression: A conditional approach 815

BEGG, C. B. On inferences from Wei's biased coin design for clinical trials (with discussion by R. M. Royall, L. J. Wei, T. R. Fleming, V. T. Farewell and D. A. Sprott, S. J. Pocock, O. Kempthorne, D. R. Cox, and response by C. B. Begg) 467

BELLHOUSE, D. R. On the equivalence of marginal and approximate conditional likelihoods for correlation parameters under a normal model 743

BENTLER, P. M. (See KANO, Y.)

BERKANE, M. (See KANO, Y.)

BERMAN, S. M. A stochastic model for the distribution of HIV latency time based on T4 counts 733

BOOTH, J. G. and BUTLER, R. W. Randomization distributions and saddlepoint approximations in generalized linear models 787

BROWN, E. N. A note on the asymptotic distribution of the parameter estimates for the harmonic regression model 653

BUTLER, R. W. (See BOOTH, J. G.)

CHEN, T. (See LANGHOLZ, B.)

CHERNOFF, H. and HAITOVSKY, Y. Locally optimal design for comparing two probabilities from binomial data subject to misclassification . . . 797

CHIU, S.-T. Why bandwidth selectors tend to choose smaller bandwidths, and a remedy 222

CONNIFFE, D. Testing hypotheses with estimated scores 97

COX, D. R. and WERMUTH, N. An approximation to maximum likelihood estimates in reduced models 747

COX, D. R. (See BEGG, C. B.)

CRITCHLEY, F. (See HIRST, D. J.)

CROWDER, M. On some nonregular tests for a modified Weibull model . . 499

CURNOW, R. N. (See FU, Y.-X.)

DALAL, S. R. (See GELFAND, A. E.)

DANIELS, H. E. (See YOUNG, G. A.)

DARROCH, J. N. and MCCLOUD, P. I. Separating two sources of dependence in repeated influenza outbreaks 237

DASU, T. (See OAKES, D.)

DAVIDIAN, M. Estimation of variance functions in assays with possibly unequal replication and nonnormal data 43

DiCiccio, T. J., Field, C. A. and Fraser, D. A. S. Approximations of marginal tail probabilities and inference for scalar parameters 77
Duffy, D. E. On continuity-corrected residuals in logistic regression . . 287
Ebrahimi, N. and Habibullah, M. Testing whether the survival distribution is new better than used of specified age 212
Ebrahimi, N. and Soofi, E. S. Relative information loss under Type II censored exponential data 429
El-Sayyad, G. M. (See Samiuddin, M.)
Emerson, S. S. and Fleming, T. R. Parameter estimation following group sequential hypothesis testing 875
Engel, J. (See Gasser, T.)
Es, B. van and Hoogendoorn, A. Kernel estimation in Wicksell's corpuscle problem 139
Eubank, R. L. and Speckman, P. Curve fitting by polynomial-trigonometric regression 1
Farebrother, R. W. Studies in the history of probability and statistics XLII. Further details of contacts between Boscovich and Simpson in June 1760 397
Farewell, V. T. (See Begg, C. B.)
Field, C. A. (See DiCiccio, T. J.)
Fleming, T. R. (See Begg, C. B.)
Fleming, T. R. (See Emerson, S. S.)
Fleming, T. R. (See Therneau, T. M.)
Flury, B. A. Principal points 33
Fong, W.-K. A Bayesian approach to successive sampling with partial replacement of units on two occasions 383
Ford, I. (See Hirst, D. J.)
Fraser, D. A. S. Tail probabilities from observed likelihoods . . . 65
Fraser, D. A. S., Lee, H. S. and Reid, N. Nonnormal linear regression; An example of significance levels in high dimensions 333
Fraser, D. A. S. (See DiCiccio, T. J.)
Fu, Y.-X. and Curnow, R. N. Locating a changed segment in a sequence of Bernoulli variables 295
Fu, Y.-X. and Curnow, R. N. Maximum likelihood estimation of multiple change points 563
Gasser, T. and Engel, J. The choice of weights in kernel regression estimation 377
Gay, R. and Heyde, C. C. On a class of random field models which allows long range dependence 401
Gelfand, A. E. and Dalal, S. R. A note on overdispersed exponential families 55
Goetghebeur, E. and Ryan, L. A modified log rank test for competing risks with missing failure type 207
Gombay, E. and Horvath, L. Asymptotic distributions of maximum likelihood tests for change in the mean 411
Goudie, I. B. J. A likelihood-based stopping rule for recapture debugging . 203
Gower, J. C. Three-dimensional biplots 773
Grambsch, P. M. (See Therneau, T. M.)
Guess, F. M. (See Hoover, D. R.)
Habibullah, M. (See Ebrahimi, N.)
Haitovsky, Y. (See Chernoff, H.)

HALL, P. On the bias of variable bandwidth curve estimators 529
HALL, P., KAY, J. W. and TITTERINGTON, D. M. Asymptotically optimal difference-based estimation of variance in nonparametric regression . 521
HALL, P. and MARRON, J. S. On variance estimation in nonparametric regression 415
HARRINGTON, D. P. (See LIPSITZ, S. R.)
HEATHCOTE, C. R. and NICHOLLS, D. F. Least-squares estimation of the contact rate in models for the spread of infectious diseases 161
HELLER, G. and SIMONOFF, J. S. A comparison of estimators for regression with a censored response variable 515
HENDERSON, R. A problem with the likelihood ratio test for a change-point hazard rate model 835
HEYDE, C. C. (See GAY, R.)
HILL, J. R. A general framework for model-based statistics 115
HILL, J. R. (See BEDRICK, E. J.)
HIRST, D. J., FORD, I. and CRITCHLEY, F. An empirical investigation of methods for interval estimation of the log odds ratio in discriminant analysis . 609
HOOGENDOORN, A. (See ES, B. VAN)
HOOVER, D. R. and GUESS, F. M. Response linked censoring: Modelling and estimation 893
HORN, P. S. Robust quantile estimators for skewed populations 631
HORVATH, L. (See GOMBAY, E.)
HURVICH, C. M., SHUMWAY, R. and TSAI, C.-L. Improved estimators of Kullback–Leibler information for autoregressive model selection in small samples 709
JACROUX, M. and RAY, R. S. On the construction of trend-free run orders of treatments 187
JEFFERYS, W. H. Robust estimation when more than one variable per equation of condition has error 597
JEWELL, N. P. (See ROTNITZKY, A.)
JONES, R. H. and ACKERSON, L. M. Serial correlation in unequally spaced longitudinal data 721
KALLIOMEN, A. (See PUKKILA, T.)
KANG, G. and BATES, D. M. Approximation inferences in multiresponse regression analysis 321
KANO, Y., BERKANE, M. and BENTLER, P. M. Covariance structure analysis with heterogeneous kurtosis parameters 575
KASS, R. E. Data-translated likelihood and Jeffreys's rules 107
KAY, J. W. (See HALL, P.)
KEMPTHORNE, O. (See BEGG, C. B.)
KONG, F. (See LEVIN, B.)
KOREISHA, S. (See PUKKILA, T.)
KOVAR, J. G. (See RAO, J. N. K.)
KUK, A. Y. C. Asking sensitive questions indirectly 436
LACHIN, J. M. (See WEI, L. J.)
LAIRD, N. M. (See LIPSITZ, S. R.)
LAKATOS, E. (See ZUCKER, D. M.)
LANGHOLZ, B., THOMAS, D., CHEN, T. and RHODES, P. Tests of effect in 1:*J* matched case-control studies based on a modified likelihood approach 897

LEE, H. S. (See FRASER, D. A. S.)
LEE, S.-Y. Multilevel analysis of structural equation models 763
LEVIN, B. The saddlepoint correction in conditional logistic likelihood analysis 275
LEVIN, B. and KONG, F. Bartlett's bias correction to the profile score function is a saddlepoint correction 219
LEWIS, P. A. W. (See AMEMIYA, Y.)
LIN, D. Y. (See WEI, L. J.)
LIPSITZ, S. R., LAIRD, N. M. and HARRINGTON, D. P. Finding the design matrix for the marginal homogeneity model 353
MADIGAN, D. and MOSURSKI, K. An extension of the results of Asmussen and Edwards on collapsibility in contingency tables 315
MANGAT, N. S. and SINGH, R. An alternative randomized response procedure 439
MANTEL, H. J. (See RAO, J. N. K.)
MARRON, J. S. (See HALL, P.)
MARX, B. D. and SMITH, E. P. Principal component estimation for generalized linear regression 23
MCCLOUD, P. I. (See DARROCH, J. N.)
MIJARES, T. A. The normal approximation to the Bartlett–Nanda–Pillai trace test in multivariate analysis 230
MIJARES, T. A. On the normal approximation to the Lawley–Hotelling trace criterion 443
MORGAN, J. P. (See UDDIN, N.)
MOSURSKI, K. (See MADIGAN, D.)
MUKERJEE, R. and SENGUPTA, S. Optimal estimation of a finite population mean in the presence of linear trend 625
MÜLLER, H.-G. and WANG, J.-L. Nonparametric analysis of changes in hazard rates for censored survival data: An alternative to change-point models 305
NAKAMURA, T. Corrected score function for errors-in-variables models: Methodology and application to generalized linear model . . . 127
NICHOLLS, D. F. (See HEATHCOTE, C. R.)
NIGAM, A. K. (See RAO, J. N. K.)
OAKES, D. and DASU, T. A note on residual life 409
PAUL, S. R. Maximum likelihood estimation of intraclass correlation in the analysis of familial data: Estimating equation approach 549
PETTIT, L. I. and YOUNG, K. D. S. Measuring the effect of observations on Bayes factors 455
PIGEOT, I. A class of asymptotically efficient noniterative estimators of a common odds ratio 420
POCOCK, S. J. (See BEGG, C. B.)
POLSON, N. and WASSERMAN, L. Prior distributions for the bivariate binomial 901
PRENTICE, R. L. (See ZHAO, L. P.)
PUKKILA, T., KOREISHA, S. and KALLINEN, A. The identification of ARMA models 537
RAO, J. N. K., KOVAR, J. G. and MANTEL, H. J. On estimating distribution functions and quantiles from survey data using auxiliary information . 365
RAO, J. N. K. and NIGAM, A. K. Optimal controlled sampling designs . . 807
RAO, M. B. (See VELU, R.)
RAY, R. S. (See JACROUX, M.)

REID, N. (See FRASER, D. A. S.)
RHODES, P. (See LANGHOLZ, B.)
ROM, D. M. A sequentially rejective test procedure based on a modified Bonferroni inequality 663
ROTNITZKY, A. and JEWELL, N. P. Hypothesis testing of regression parameters in semiparametric generalized linear models for cluster correlated data 485
ROYALL, R. M. (See BEGG, C. B.)
RUDOLFER, S. M. A Markov chain model of extrabinomial variation . . 255
RYAN, L. (See GOETGHEBEUR, E.)
SAMIUDDIN, M. and EL-SAYYAD, G. M. On nonparametric kernel density estimates 865
SCHAID, D. J., WIEAND, S. and THERNEAU, T. M. Optimal two-stage screening designs for survival comparisons 507
SCHEMPER, M. The explained variation in proportional hazards regression . 216
SCHOTT, J. R. Canonical mean projections and confidence regions in canonical variate analysis 587
SENGUPTA, S. (See MUKERJEE, R.)
SEVERINI, T. A. Conditional properties of likelihood-based significance tests 343
SHARPLES, L. D. Identification and accommodation of outliers in general hierarchical models 445
SHUMWAY, R. (See HURVICH, C. M.)
SIMONOFF, J. S. (See HELLER, G.)
SINGH, R. (See MANGAT, N. S.)
SMITH, E. P. (See MARX, B. D.)
SOOFI, E. S. (See EBRAHIMI, N.)
SPECKMAN, P. (See EUBANK, R. L.)
SPROTT, D. A. (See BEGG, C. B.)
STENGER, H. Asymptotic minimaxity of the ratio strategy 389
STERN, H. A continuum of paired comparisons models 265
SU, J. Q. (See WEI, L. J.)
TANNER, M. A. (See WEI, G. C. G.)
TAWN, J. A. Modelling multivariate extreme value distributions . . . 245
THERNEAU, T. M., GRAMBSCH, P. M. and FLEMING, T. R. Martingale-based residuals for survival models 147
THERNEAU, T. M. (See SCHAID, D. J.)
THOMAS, D. (See LANGHOLZ, B.)
TITTERINGTON, D. M. (See HALL, P.)
TJØSTHEIM, D. (See AUESTAD, B.)
TOSTESON, T. D. and WARE, J. H. Designing a logistic regression study using surrogate measures for exposure and outcome 11
TSAI, C.-L. (See HURVICH, C. M.)
TSAI, W.-Y. Testing the assumption of independence of truncation time and failure time 169
UDDIN, N. Some series constructions for minimal size equineighboured balanced incomplete block designs with nested rows and columns 829
UDDIN, N. and MORGAN, J. P. Some constructions for balanced incomplete block designs with nested rows and columns 193
VELU, R. and RAO, M. B. Estimation of parent-offspring correlation . . 557

VLACHONIKOLIS, I. G. Predictive discrimination and classification with mixed binary and continuous variables 657
WAKAKI, H. Comparison of linear and quadratic discriminant functions . 227
WALDEN, A. T. and WHITE, R. E. Estimating the statistical bandwidth of a time series 699
WANG, J.-L. (See MÜLLER, H.-G.)
WARE, J. H. (See TOSTESON, T. D.)
WASSERMAN, L. (See POLSON, N.)
WATKINS, A. J. On polynomial expansions for likelihoods of spatial data with finite range correlation function 404
WEI, G. C. G. and TANNER, M. A. Calculating the content and boundary of the highest posterior density region via data augmentation 649
WEI, L. J., SU, J. Q. and LACHIN, J. M. Interim analyses with repeated measurements in a sequential clinical trial 359
WEI, L. J., YING, Z. and LIN, D. Y. Linear regression analysis of censored survival data based on rank tests 845
WEI, L. J. (See BEGG, C. B.)
WERMUTH, N. (See COX, D. R.)
WHITE, R. E. (See WALDEN, A. T.)
WIEAND, S. (See SCHAID, D. J.)
WILLMOT, G. E. On the construction of a parameter orthogonal to the mean 424
WOLFF, R. C. L. A note on the behaviour of the correlation integral in the presence of a time series 689
YING, Z. Linear rank statistics for truncated data 909
YING, Z. (See WEI, L. J.)
YOUNG, G. A. and DANIELS, H. E. Bootstrap bias 179
YOUNG, K. D. S. (See PETTIT, L. I.)
ZHAO, L. P. and PRENTICE, R. L. Correlated binary regression using a quadratic exponential model 642
ZUCKER, D. M. and LAKATOS, E. Weighted log rank type statistics for comparing survival curves when there is a time lag in the effectiveness of treatment 853